

Research Paper



Classification of sars cov-2 and non-sars cov-2 pneumonia using cnn

Dr. Sarangam Kodati^{1*}, Dr. M. Dhasaratham², Veldandi Srikanth³, K. Meenendranath Reddy⁴

¹Department of Information Technology, CVR College of Engineering, Hyderabad, India.

²Department of Information Technology, TKR College of Engineering and Technology, Hyderabad, India.

³Assistant Professor, SVS Engineering College, Hyderabad, India.

⁴Assistant Professor, SVR Engineering College, Nandyal, India.

Article Info

Article History:

Received: 02 August 2023

Revised: 13 October 2023

Accepted: 18 October 2023

Published: 05 December 2023

ABSTRACT

Both patients and medical professionals will benefit from precise identification of the Covid responsible for the COVID-19 outbreak this year, which is the extreme intense respiratory condition CoV-2 (SARS CoV-2). In countries where diagnostic tools are not easily accessible, knowledge of the disease's impact on the lungs is of utmost importance. The goal of this research was to demonstrate that high-resolution chest X-ray images could be used in conjunction with extensive training data to reliably differentiate COVID-19. The evaluation included the training of deep learning and AI classifiers using publicly available X-beam images (1092 sound, 1345 pneumonia, and 3616 affirmed Covid). There were 38 tests driven using Convolutional Brain Organizations, 10 examinations utilizing 5 simulated intelligence models, and 14 tests utilizing top tier pre-arranged models for move learning. In the first stages, the presentation of the models was surveyed using an eightfold cross-approval system that disentangled visuals and data analysis. Area under the curve for collector performance is a typical 96.51%, with 93.84% responsiveness, 98.18% particularity, 98.50% accuracy, and 93.84% responsiveness. COVID-19 may be detected in a small number of skewed chest X-beam pictures using a convolutional frontal cortex network with not many layers and no pre-taking care of.

Keywords:


COVID

SARS

CNN

Cov2

X-Beam



Corresponding Author:

Dr. Sarangam Kodati

Department of Information Technology, CVR College of Engineering, Hyderabad, India.

Email: k.sarangam@gmail.com

Copyright © 2023 The Author(s). This is an open access article distributed under the Creative Commons Attribution License, (<http://creativecommons.org/licenses/by/4.0/>) which permits unrestricted use, distribution, and reproduction in any medium, provided the original work is properly cited.

1. INTRODUCTION

The human mortality rates for pneumonia and COVID-19 are identical. About 800,000 youngsters younger than five bite the dust every year from pneumonia, or more than 2,200 daily. Nearly 1,400 children per 100,000 are diagnosed with pneumonia each year. Lower respiratory plot diseases, especially pneumonia, arose as the main source of mortality in 2013. In 2015, around 0.297 million passing's from pneumonia and diarrhea in children under five were reported by the Johns Hopkins Bloomberg School of Public Health. COVID-19 has surpassed many other respiratory viruses in prevalence. The SARS-CoV-2 virus, responsible for the deadly COVID-19 illness, claimed over 2.9 million lives worldwide in 1918, marking it as the deadliest pandemic in human history [1] [Figure 4](#).

A heightened awareness of SARS-CoV-2 disease is critical for people north of 60, especially those with prior ailments. The effect of pneumonia and Covid on lung wellbeing has been perceived as a significant concern. Convolutional Neural Networks (CNNs) are well-suited for disseminating news of this nature. The study introduces a CNN model designed to differentiate between Coronavirus and pneumonia patients in X-beam pictures, expecting to work with early assurance and decrease viral transmission [2]. Key discoveries incorporate the preparation of a CNN to recognize Coronavirus and pneumonia patients utilizing a combination of techniques, including irregular data analysis and data augmentation. While the focus is on lung pathology, deep learning models have proven valuable in demonstrating various medical conditions.

A critical aspect of detecting pneumonia infections involves developing a convolutional brain network through highlight extraction from visual setting studies. A few examinations have utilized K-closest neighbors (KNN) and support vector machines (SVM) to order Coronavirus, however this exploration uses a convolutional brain organization to distinguish pneumonia brought about by Coronavirus [3]. Deep learning has become a dominant artificial intelligence (AI) approach in recent years, owing to its revolutionary results in image classification and regression, characterized by the number of hidden layers it employs.

[4] Advancements in image processing, particularly the extensive use of Convolutional Neural Networks (ConvNets or CNNs), have played a pivotal role. However, for CNNs to emulate human cognition on computers effectively, they often require some form of image or data preprocessing. ConvNet was originally envisioned as a neural network that required little image pre-processing before delivering it to the organization, along with a framework capable of extracting the components. The ConvNet organizes the cycles of extracting elements and sorting them into a unified structure [Figure 1](#). Convolutional, pooling, and fully-associated layers make up the standard ConvNet architecture. As a part of the element extraction procedure, the convolutional layer segments images into predetermined aspects and extracts highlights from each piece using channels. The feature map is obtained by extracting features from the masks and projecting them onto the 2D map with the aid of an activation function. As a result of the enactment capacity, the most learned neurons are activated in a nonlinear fashion, conserving computing resources within the brain's architecture. The Rectified Linear Unit (ReLU) is the most regularly involved actuation capability in Convolutional Brain Organizations (CNNs) [5]. It is favored because it does not activate all neurons simultaneously, enabling faster computation when the inputs reach the appropriate levels to generate the desired response during training. The generated highlight map is combined with others to reduce the overall image size. The fully associated layer is then given access to a vector representation of the component map. Completely connected layers allow the brain to mix and organize input designs by relying on goof back inducing to invigorate the heaps inside the layer.

Describing the Issue

Screening a large number of possible carriers is crucial for controlling the spread of COVID-19. Although time-consuming and frequently erroneous, on goof back inducing to invigorate the heaps inside the layer. Successful treatment relies heavily on prompt and accurate diagnosis. Considering the alterations to X-ray images caused by Coronavirus, we set off on a mission to foster a complex learning strategy for separating Coronavirus' graphical viewpoints to give a clinical end before to the pathogenic test, consequently saving crucial time in the fight against mix. The Chest X-ray photographs are ordered

involving an AI characterization method in this article [6]. Since accuracy is essential, collecting more training photos and running the CNN through more iterations may boost its performance. Google's convolutional neural network (CNN) employs the Inception V2 architecture, while the company's large-scale machine learning needs are met by Tensor Flow. The CNN method is executed using Tensor Flow and Inception V2.

Procedures

It's true that CNN performs better when working with more data. Transfer learning may encounter limitations in CNN applications when the dataset is excessively little. The substance of move learning lies in using a model prepared on a huge dataset, like ImageNet, and applying it to a more obliged dataset. This approach lessens the time expected to prepare the profound gaining calculation without any preparation and mitigates the prerequisite for a broad information assortment [7].

A. System Architecture

Data set creation for the study include categorizing images of pneumonia and normal X-rays into separate training, validation, and testing sets. Input feature extraction via image scaling, data augmentation, and data resampling. Utilizing chest X-beam pictures from people with and without pneumonia, a CNN technology was developed to predict the outcome of the chosen model [8]. Classes of output are computed. In order to create the loss function, the current outputs are compared to the desired categories. The bounds of the CNN are recharged utilizing the setback capacity and preparation approach. It is necessary to repeat steps 3-6 for each set of data and time frame. After learning from a source model (the first model), the subsequent model was prepared on an informational index comprising completely of pneumonia and typical X-ray pictures. X-ray pictures of Coronavirus, pneumonia, and standard chests are utilized to make the preparation, approval, and testing sets. Input photos go through a "pre-processing" stage in which they are scaled, enhanced, and resampled before being utilized. The developed CNN framework is then used to record the consequences of the assigned/proposed model on the Coronavirus, pneumonia, and customary chest X-bar occasions. The CNN boundaries of the pre-prepared model might be adjusted with the guide of the preparation strategy. Use steps 10-12 for any and all data sets and time frames. The creation of the model is geared towards determining whether or not an X-ray picture is worried about Coronavirus, pneumonia, or a typical case [9].




Figure 1. Overview of the Proposed System's Structure

B. Transfer Learning

The model was developed with the aid of transfer learning. In the paper, authors used two different data sets to train their two models. The initial model was built using data solely from typical and pneumonia patients in a dataset. The subsequent model, prepared on information including Coronavirus, pneumonia, and solid controls, provided insights to enhance the first model. This research underscores the influence of move learning on the advancement of the last model. Move learning involves leveraging a machine learning model trained on extensive information for one undertaking to prepare a classifier for a comparable or unique activity [10].




Figure 2. Transfer Learning Structure

Move learning is the most broadly involved procedure for PC vision issues. Because of move learning, it is currently practical to prepare a huge CNN with a tiny measure of information, which thus diminishes the time and exertion expected to prepare the model and works on its precision. The organization's settings are learned via a process called training. ResNet-18 is built on top of a deep convolutional neural network that consists of 18 layers. It is conceivable to utilize a set up sort of the association that has been taught to see objects more than a million pictures found in the Image Net informational collection. The association is capable of categorizing photos into one thousand unique categories.




Figure 3. ResNet Architecture

Materials

A. Dataset Collection

The X-ray of Covid patients' chests were acquired from a public GitHub storage facility worked with by Dr. Joseph Cohen. The greater part of these photos are chest X-beams or processed tomograms of people who have extreme intense respiratory condition (SARS), serious persistent obstructive pneumonic infection (COPD), MERS, pneumonia, or other respiratory illnesses. Positive radiographic images (CT scans) were also searched for in the Coronavirus Data set kept up with by the Italian Culture of Clinical and Interventional Radiology. Chest X-rays that could not be interpreted due to poor scanning or interpretation were disqualified. Two separate expert radiologists independently verified and assessed the diagnosis. Because of the variety of picture designs used as contribution to the calculation, scaling the X-Ray images was an essential part of the data preparation procedure. We applied a variety of picture pre-processing techniques to increase our system's performance and reduce the training time. To speed handling and guarantee similarity with Beginning V2, we at first scaled all of our photographs to 299x299x3. We need to label the data during the image pre-processing phase because convolution brain networks utilize an administrator istered learning system in AI. Images of positive, negative, and non-Covid instances of pneumonia are shown in Figure 3.




Figure 4. Example chest X-rays of: (a) COVID-19 Positive (b) COVID-19 Negative (c) Non-COVID-19 Pneumonia

B. Augmentation of the Images

CNN needs a lot of data to work well. To make up for an absence of preparing information, we apply information increase strategies like picture turn (by 60, 90, 180, and 270 degrees), noise, translation, blurring, and horizontal and vertical image flipping. Data augmentation is shown in [Figure 2](#). The use of pooling makes features more robust against noise. Common pooling layer types include normal pooling and maximal pooling. It's essentially a part extraction or dimensionality decrease approach. Maximum and average pooling are shown in a generic fashion in [Figure 6](#).




Figure 5. Rotating, Flipping, Blurring, and Noise Illustrate Instances of Aug-Mented Photographs

C. Tensor Flow

[Figure 5](#) portrays a counterfeit brain network with multiple layers. There is just one input and one output, and many hidden layers. Tensor Flow's Inception V3 model was retrained on the chest X-beam informational index with the end goal that it could accurately name new pictures as one or the other typical, viral pneumonia, or Coronavirus. It's an image processing package and part of Google's deep learning architecture, which gives you complete command over all of the system's neurons (nodes). Changing the weights of a neural network may boost its efficiency [\[11\]](#).




Figure 6. Rotating, Flipping, Blurring, and Noise Illustrate Instances of Aug-Mented Photographs

The activation function is what decides which layers of a neural network will get their respective outputs. A brain organization's initiation capability is connected to the final NN layer. Each layer's output is calculated using either a linear or nonlinear activation function in a neural network. Nonlinear activation functions are widely utilized in brain organizations and profound learning strategies. The ReLU enactment capability is utilized at the result actuation y of the convolutional layers, and its numerical articulation is $y = \text{ReLU}(y)$. These enactments at the output are subsequently processed by the pooling layer. Inception V2 is one of the best architectures for solving the image categorization issue. The Inception V2 architecture outperforms other, more recent designs and looks to be the best network for medical image processing. For this reason, we retrained using the Inception V2 model developed with Tensor Flow.

The methods for sorting information utilizing the proposed procedure are as per the following: An Effective Tensor Flow Characterization Calculation

Step 1: Begin

Step 2: Gather a collection of images to use as data, then start building the model.

Step 3: Make a folder to keep track of the bottleneck values for all of your images.

Step 4: Use your best judgement to deduce bottleneck values from the photographs.

Step 5: Create a file to store all visual representations of bottleneck values.

Step 6: Bottleneck values must not totally fixed for each image freely.

Step 7: Add fresh softmax layers and fully associated layers to your preparations.

Step 8: Complete

2. RESULTS AND DISCUSSION

Convolution

Convolution occurs over time. Various input features are extracted. Each kernel must take responsibility for the function at its output. To capture the higher-level characteristics of an image, the top layer of the Convolutional Neural Network (CNN) must initially analyze the picture's lower-level credits, like boundaries, lines, and corners. In this review, we utilized an original methodology that empowered the CNN to independently distinguish Coronavirus through the examination of Chest X-beam pictures. The cycle included using a deep rooted pre-prepared model, Commencement V3, and exposing it to thorough testing with information from Coronavirus, ordinary, furthermore, popular pneumonia chest X-radiates that were not piece of the preparation set. The classes utilized for investigation included ordinary, viral pneumonia, and Coronavirus cases. What's more, we used an ImageNet-based exchange learning approach to deal with data and time constraints.




Figure 7. Covid Positive Image Demonstrating a Positive Diagnosis

Figure 7 Forecasts List of crude forecasts is what you get from the show preds () method. Show text, perform a denormalization, show a heat map, show a class diagram, show an image index, etc. Only images with their accurate labels from the current dataset are shown.




Figure 8. Picture of Pneumonia That Was Not Caused By a Common Cold Virus

We employed a Flask app to analyze a substantial number of chest X-ray images and generate human-readable results. Flask, being a lightweight Python web framework, provides extensive tools and capabilities for developing online applications in Python. Since a web application can be constructed quickly from a single Python record, it gives planners more unmistakable flexibility and is a more accessible approach for novice designers **Figure 8**.

3. CONCLUSION

The early treatment of Coronavirus patients is basic to obstruct the movement of the infection. In this review, we present a profound exchange learning-based approach for PC helped conclusion of Coronavirus pneumonia using chest X-beam pictures from patients with the illness, as well as pictures of ordinary and viral pneumonia. The proposed model exhibited the capacity to precisely recognize Coronavirus with an exactness of approximately 100%. This suggests a high level of effectiveness in

distinguishing COVID-19 cases through the developed diagnostic model. It is widely considered that our results will help medical practitioners make better judgements in scientific investigation due to the outstanding overall performance. Using deep transfer learning techniques, this study shows how COVID-19 early detection might be facilitated. COVID-19 has already jeopardized the lives of countless people and the stability of healthcare systems throughout the globe. Respiratory failure was the immediate cause of death and contributed to the failure of other organs. Early screening and effective treatment made possible by computer-aided research might save lives, which is particularly crucial given the high volume of patients seen in urgent care and emergency rooms. Since CNNs are a very nebulous concept, we've built in a class establishment guide involving various convolutional layers to help us with imagining how the model is made. We moreover showed how PyTorch may be used as a middle point for concentrating on the model's appearance concerning purchasing chest X-beam pictures. The authors of this research believe theirs to be the most significant work in terms of precision, review, accuracy, and F1 score after comparing their findings to those of previous cutting-edge investigations. For instance, this approach would be especially profitable during and after a pandemic, where the volume of impacted people and the need for preventive measures could beat the openness of clinical specialists and the viability of existing medicines.

Acknowledgments

The authors have no specific acknowledgments to make for this research.

Funding Information

This research received no specific grant from any funding agency in the public, commercial, or not-for-profit sectors.

Author Contributions Statement

Name of Author	C	M	So	Va	Fo	I	R	D	O	E	Vi	Su	P	Fu
Dr. Sarangam Kodati	✓			✓	✓	✓			✓	✓	✓	✓	✓	✓
Dr. M. Dhasaratham		✓			✓	✓	✓	✓		✓	✓		✓	✓
Veldandi Srikanth	✓			✓	✓			✓	✓			✓	✓	
K. Meenendranath Reddy	✓	✓			✓	✓	✓	✓			✓	✓	✓	✓

C: Conceptualization

M: Methodology

So: Software

Va: Validation

Fo: Formal analysis

I: Investigation

R: Resources

D: Data Curation

O: Writing- Original Draft

E: Writing- Review& Editing

Vi: Visualization

Su: Supervision

P: Project administration

Fu: Funding acquisition

Conflict of Interest Statement

The authors declare that there are no conflicts of interest regarding the publication of this paper.

Informed Consent

All participants were informed about the purpose of the study, and their voluntary consent was obtained prior to data collection.

Ethical Approval

The study was conducted in compliance with the ethical principles outlined in the Declaration of Helsinki and approved by the relevant institutional authorities.

Data Availability


The data that support the findings of this study are available from the corresponding author upon reasonable request.


REFERENCES

- [1] 'COVID-19 Map'. Johns Hopkins Coronavirus Resource Center, coronavirus.jhu.edu/map.html. Accessed 15 Nov. 2025.
- [2] T. Rahman. (2020). COVID-19 Radiography Database. Available: <https://www.kaggle.com/tawsifurrahman/covid19-radiography-database>
- [3] Platform, G. C. Image Classification Transfer Learning with Inception V3. 2017.
- [4] K. Fukushima, "Neocognitron: A self-organizing neural network model for a mechanism of pattern recognition unaffected by shift in position" *Biological cybernetics*, vol. 36, no. 4, pp. 193-202, 1980. doi.org/10.1007/BF00344251
- [5] Simard, D. P. Y., and J. C. Steinkraus. Best Practices for Convolutional Neural Networks Applied to Visual Document Analysis" in *Icdar*. Vol. 3, 2003.
- [6] Krizhevsky, I. A., and G. E. Sutskever. Imagenet Classification with Deep Convolutional Neural Networks," in *Advances in Neural Information Processing Systems*. 2012, pp. 1097-1105.
- [7] I. Krizhevsky and G. E. Sutskever, 'Imagenet classification with deep convolutional neural networks,' in *Advances in neural information processing systems*, pp. 1097-1105, 2012.
- [8] R. M. D. Zeiler, Visualizing and understanding convolutional networks. Springer, 2014, pp. 818-833. doi.org/10.1007/978-3-319-10590-1_53
- [9] A. K. Simonyan, Very deep convolutional networks for large-scale image recognition. 2014. A.
- [10] X. M. Liang, 'Recurrent convolutional neural network for object recognition', in *Proceedings of the IEEE conference on computer vision and pattern recognition*, 2015, pp. 3367-3375. doi.org/10.1109/CVPR.2015.7298958
- [11] S. Pattar, 'Detection and classification of lung disease-pneumonia and lung cancer in chest radiology using artificial neural network', *International Journal of Scientific and Research Publications*, vol. 5, no. 1, pp. 2250-3153, 2015.

How to Cite: Dr. Sarangam Kodati, Dr. M. Dhasaratham, Veldandi Srikanth, K. Meenendranath Reddy. (2023). Classification of sars cov-2 and non-sars cov-2 pneumonia using cnn. *Journal of Prevention, Diagnosis and Management of Human Diseases (JPDMHD)*, 3(2), 108-117. <https://doi.org/10.55529/jpdmhd.32.108.117>

BIOGRAPHIES OF AUTHORS

	<p>Dr. M. Dhasaratham, is associated with the Department of Information Technology at TKR College of Engineering and Technology, Hyderabad, India. His expertise lies in data science, neural networks, and intelligent computing systems. With academic and research experience, he has worked on various machine learning applications and scientific computing models. He actively participates in multidisciplinary research collaborations. Email: dasarath.m@gmail.com</p>
---	---

	<p>Veldandi Srikanth, is an Assistant Professor at SVS Engineering College, Hyderabad, India. His research interests include machine learning, computer vision, and deep learning-based diagnostic systems. He has contributed to academic projects focused on medical image analysis and intelligent automation. Srikanth actively engages in guiding students and participating in collaborative research. He continues to explore innovative AI applications in engineering and healthcare.</p>
	<p>K. Meenendranath Reddy, is an Assistant Professor at SVR Engineering College, Nandyal, India. His teaching and research areas include image processing, pattern recognition, and deep learning. He has participated in projects related to healthcare informatics and automated diagnosis using AI techniques. He actively contributes to academic development and student mentoring.</p>